AMENDMENTS TO THE CLAIMS

1.(Oxiginal) A trimmer comprising:

a base;

a motor attached to said base wherein said motor is attached to and rotates a cutting element wherein said cutting element comprises at least one line;

two unidirectional wheels attached to said base;

- a multidirectional wheel attached to said base;
- a handle; and
- a universal joint connecting said handle to said base.
- 2. (Original) The trimmer of claim 1 wherein said base comprises a recess.
- 3. (Original) The trimmer of claim 1 further comprising a lower grip attached to said handle.
- 4. (Original) The trimmer of claim 1 wherein said universal joint comprises:
 - a handle couple attached to said handle;
 - a link rotatably attached to said handle couple; and
 - a bracket rotatably attached to said link and attached to said base.
- 5. (Original) The trimmer of claim 1 wherein said motor is an electric motor.
- 6. (Currently amended) A rotating line trimmer comprising:
 - a base comprising a front and a rear;
- a motor driven rotating line cutter element attached to said base;

two unidirectional wheels attached to said front of said base;

a multidirectional wheel attached to said rear of said base; and

- a handle attached to said rear of said base with a dual pivoting joint capable of transmitting rotation from said handle to said base.
- 7. (Original) The rotating line trimmer of claim 6 wherein said dual pivoting joint comprises a first pivot and a second pivot.
- 8. (Original) The rotating line trimmer of claim 7 wherein said first pivot and said second pivot are not parallel.
- 9. (Original) The rotating line trimmer of claim 8 wherein said first pivot and said second pivot are perpendicular.
- 10.(Original) The rotating line trimmer of claim 6 wherein said motor is an electric motor.
- 11. (Currently amended) A trimmer comprising:
 - a rotating line cutting device;
 - a handle attachment element attached to said rotating lime cutting device wherein said handle attachment element comprises a first pivot and a second pivot wherein said first pivot point and said second pivot are capable of pivoting simultaneously; and
- a handle attached to said handle attachment element wherein said handle attachment element is capable of transmitting rotation from said handle to said rotating line cutting device.
- 12. (Original) The trimmer of claim 11 further comprising two unidirectional wheels.
- 13. (Original) The trimmer of claim 11 further comprising a multidirectional wheel.

- 14. (Original) The trimmer of claim 11 wherein said rotating line device comprises a base and a motor attached to said base and wherein said motor rotates a line.
- 15.(Original) The trimmer of claim 11 wherein said handle attachment element is a universal joint.
- 16. (Original) The trimmer of claim 11 wherein said first pivot and said second pivot are not parallel.
- 17. (Original) The trimmer of claim 16 wherein said first pivot and said second pivot are perpendicular.